


REGULAR DIFFERENTIAL WEIGHT VARIATION REPORT

Product Name	captab capsules		
Batch No.	BT-CAPS-REG	Department	QC
BFG Code No.	bfg-002	Date	25.08.2025
No. of Samples	3	Start Time	16:06:28
Equipment Code No.	ECN_10	Balance Code No.	BAL-002
Standard Weight of Capsules (g)	0.400	Side	NA
Std. Limit 1 (Net) (g)	NMT 2 capsules by ± 2.00 %		0.392 - 0.408
Std. Limit 2 (Net) (g)	None of capsules by ± 3.00 %		0.388 - 0.412

Test Results

Avg. Weight of Filled Content (g)	0.3960	Standard Deviation	0.0122
Minimum Weight (g)	0.388	No. of Capsules Above Limit (1) 0.408	1
Maximum Weight (g)	0.410	No. of Capsules Below Limit (1) 0.392	2
Minimum %	3.00	No. of Capsules Above Limit (2) 0.412	0
Maximum %	2.50	No. of Capsules Below Limit (2) 0.388	0
Avg. Weight of Filled Capsule (g)	0.4943		



Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)	Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)
1	0.500	0.090	0.410	2	0.488	0.100	0.388
3	0.495	0.105	0.390				

Result: Not Complies
Remark: ertj

Performed by : kumkum

Checked by : Tantra

Date : 25.08.2025 & 16:06:28

Date : 25.08.2025 & 16:12:45