


INCOMPLETE INITIAL DIFFERENTIAL WEIGHT VARIATION REPORT

Product Name	captab capsules		
Batch No.	BTCAPS-003	Department	QC
BFG Code No.	bfg-002	Date	02.08.2025
No. of Samples	5	Start Time	11:33:37
Equipment Code No.	ECN_10	Balance Code No.	BAL-002
Standard Weight of Capsules (g)	0.400	Side	NA
Std. Limit 1 (Net) (g)	NMT 2 capsules by ± 2.00 %		0.392 - 0.408
Std. Limit 2 (Net) (g)	None of capsules by ± 3.00 %		0.388 - 0.412

Test Results

Avg. Weight of Filled Content (g)	0.3805	Standard Deviation	0.0064
Minimum Weight (g)	0.376	No. of Capsules Above Limit (1) 0.408	0
Maximum Weight (g)	0.385	No. of Capsules Below Limit (1) 0.392	0
Minimum %	6.00	No. of Capsules Above Limit (2) 0.412	0
Maximum %	3.75	No. of Capsules Below Limit (2) 0.388	2
Avg. Weight of Filled Capsule (g)	0.5115		



Actual Value	Upper Limit1	Lower Limit1	Standard	Upper Limit2	Lower Limit2
--------------	--------------	--------------	----------	--------------	--------------

Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)	Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)
1	0.512	0.136	0.376	2	0.511	0.126	0.385

Result: Aborted test

Remark: test 1234567890poiuytrewq1234567890poiuytrewq1234567890poiuytrewq1234567890po

Performed by : kuldeep

Checked by : Sail

Date : 02.08.2025 & 11:33:37

Date : 02.08.2025 & 11:39:14