


REGULAR DIFFERENTIAL WEIGHT VARIATION REPORT

Product Name	Omega capsule 20 gm !@\$%^&()@ qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop capsule AR		
Batch No.	BA_19@ABC123xyz	Department	QC
BFG Code No.	BFC_20_1234_!@\$qwertyuHi	Date	02.05.2024
No. of Samples	10	Start Time	11:01:45
Equipment Code No.	ECN_10	Balance Code No.	BCN_13
Standard Weight of Capsules (gm)	0.4500	Side	NA
Std. Limit 1 (Net) (gm)	NMT 2 capsules by ± 0.0050 gm		0.4450 - 0.4550
Std. Limit 2 (Net) (gm)	None of capsules by ± 0.0060 gm		0.4440 - 0.4560

Test Results

Avg. Weight of Filled Content	0.4500	Standard Deviation	0.0014
Minimum Weight (gm)	0.4483	No. of Capsules Above Limit (1) 0.4550	0
Maximum Weight (gm)	0.4528	No. of Capsules Below Limit (1) 0.4450	0
Minimum %	0.38	No. of Capsules Above Limit (2) 0.4560	0
Maximum %	0.62	No. of Capsules Below Limit (2) 0.4440	0
Avg. Weight of Filled Capsule	0.5995		



Sample No.	Filled Capsule Weight (gm)	Empty Capsule Weight (gm)	Filled Content (gm)	Sample No.	Filled Capsule Weight (gm)	Empty Capsule Weight (gm)	Filled Content (gm)
1	0.5985	0.1498	0.4487	2	0.5988	0.1499	0.4489
3	0.5993	0.1510	0.4483	4	0.5996	0.1506	0.4490
5	0.5998	0.1498	0.4500	6	0.6005	0.1497	0.4508
7	0.6007	0.1510	0.4497	8	0.6010	0.1496	0.4514
9	0.5981	0.1475	0.4506	10	0.5983	0.1455	0.4528

Result: **Complies**

Performed by : vicky

Date : 02.05.2024