


INITIAL DIFFERENTIAL WEIGHT VARIATION REPORT

Product Name	captab capsules		
Batch No.	BT-CAPSULE1010I	Department	QA
BFG Code No.	bfg-002	Date	02.09.2025
No. of Samples	3	Start Time	12:18:49
Equipment Code No.	Equipment-123	Balance Code No.	BAL-001
Net Weight of Capsules (g)	0.400	Side	NA
Std. Limit 1 (Net) (g)	NMT 2 capsules by ± 2.00 %		0.392 - 0.408
Std. Limit 2 (Net) (g)	None of capsules by ± 3.00 %		0.388 - 0.412

Test Results

Avg. Weight of Filled Content (g)	0.3993	Standard Deviation	0.0015
Minimum Weight (g)	0.398	No. of Capsules Above Limit (1) 0.408	0
Maximum Weight (g)	0.401	No. of Capsules Below Limit (1) 0.392	0
Minimum %	0.50	No. of Capsules Above Limit (2) 0.412	0
Maximum %	0.25	No. of Capsules Below Limit (2) 0.388	0
Avg. Weight of Filled Capsule (g)	0.5007	Weight of 3 Empty Capsules (g)	0.304



Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)	Sample No.	Filled Capsule Weight (g)	Empty Capsule Weight (g)	Filled Content (g)
1	0.500	0.099	0.401	2	0.503	0.104	0.399
3	0.499	0.101	0.398				

Result: **Complies**

Performed by : kuldeep

Date & Time : 02.09.2025 & 12:19:29