


REGULAR GROUP WEIGHT VARIATION REPORT

Product Name	Dolo 250 gm capsule		
Batch No.	BT_104_Test	Department	QC
BFG Code No.	BFG_12	No. of Samples	3
Equipment Code No.	None	Balance Code No.	Bal_0411
Std. Group Wt. of Cap. (gm)	10.000	Stage	Capsulation
Std. Lower Limit (gm)	9.800(-2.00 %)	Std. Upper Limit (gm)	10.300(+2.00 %)
Side	NA		

Test Results

Min Group Wt. of Cap. (gm)	9.700	No. Of Group Wt. Below Limit	1
Max Group Wt. of Cap. (gm)	10.321	No. Of Group Wt. Above Limit	1
Start Weight (gm)	10.205	End Weight (gm)	9.800
Average Weight	9.9766		



Test No.	Date	Time	Side	Group Weight (gm)	Test Result	Performed By
1.	06.11.2024	08:56:29	Single	10.205	Complies	Abhishek
2.	06.11.2024	09:10:02	Single	9.857	Complies	Abhishek
3.	06.11.2024	09:10:50	Single	10.321	Not Complies	Abhishek
4.	06.11.2024	09:17:12	Single	9.700	Not Complies	Abhishek
5.	06.11.2024	09:17:33	Single	9.800	Complies	Abhishek

Result: **Not Complies**