


INITIAL GROUP WEIGHT VARIATION REPORT

Product Name	Hydrachloride 500mg IP Capsule		
Batch No.	BT_2_Test	Department	QC
BFG Code No.	1411	No. of Samples	20
Equipment Code No.	ENC_1	Balance Code No.	Bal_23
Std. Group Wt. of Cap. (gm)	10.000	Stage	Capsulation
Std. Lower Limit (gm)	9.700(-3.00 %)	Std. Upper Limit (gm)	10.300(+3.00 %)
Side	NA		

Test Results

Min Group Wt. of Cap. (gm)	9.657	No. Of Group Wt. Below Limit	1
Max Group Wt. of Cap. (gm)	10.059	No. Of Group Wt. Above Limit	0
Start Weight (gm)	NA	End Weight (gm)	NA
Average Weight	9.858		



Test No.	Date	Time	Side	Group Weight (gm)	Test Result	Performed By
1.	04.04.2024	09:25:40	Single	10.059	Complies	Abhishek
2.	04.04.2024	09:31:54	Single	9.857	Complies	Abhishek
3.	04.04.2024	10:42:20	Single	9.657	Not Complies	Abhishek

Result: **Not Complies**

For Testing

Checked by : Mangesh

Date : 04.04.2024