


BATCH REPORT OF INDIVIDUAL WEIGHT VARIATION

Area : Capsule Filling

Product Name	captab capsules		
Batch No.	BTCAPS-001	Department	QC
BFG Code No.	bfg-002	Stage	Compression
Std. Weight (g)	0.500		
Standard Limit 1 (g)	NMT 2 capsules by $\pm 2.00\%$	0.490 - 0.510	
Standard Limit 2 (g)	None of capsules by $\pm 4.00\%$	0.480 - 0.520	

Batch Summary		
Minimum Weight (g)	Maximum Weight (g)	Average Weight (g)
0.490	0.512	0.5011



Test No.	Date	Time	Balance Code No.	Side	Minimum Weight (g)	Maximum Weight (g)	Average Weight (g)	Test Result	Performed By
1	02.08.2025	09:42:05	BAL-002	NA	0.490	0.511	0.5004	Complies	kuldeep
2	02.08.2025	09:42:28	BAL-002	NA	0.493	0.512	0.5018	Complies	kuldeep
3	02.08.2025	09:42:48	BAL-002	NA	0.486	0.522	0.5026	Not Complies	kuldeep
4	02.08.2025	09:45:02	BAL-002	NA	0.476	0.520	0.4998	Not Complies	kuldeep