


BATCH REPORT OF DIFFERENTIAL WEIGHT VARIATION

Area : Capsule Filling

Product Name	Omega capsule 20 gm !@\$%^&()@ qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop 1234567890 qwertyuiop qwertyuiop qwertyuiop qwertyuiop qwertyuiop capsule AR		
Batch No.	BA_19@ABC123xyz	Department	QC
BFG Code No.	BFC_20_1234_!@\$%qwertyuHi	Stage	Capsulation
Std. Weight (gm)	0.4500		
Standard Limit 1 (gm)	NMT 2 capsules by ± 0.0050 gm	0.4450 - 0.4550	
Standard Limit 2 (gm)	None of capsules by ± 0.0060 gm	0.4440 - 0.4560	

Batch Summary		
Minimum Weight (gm)	Maximum Weight (gm)	Average Weight (gm)
0.4468	0.4563	0.4500



Test No.	Date	Time	Balance Code No.	Side	Minimum Weight (gm)	Maximum Weight (gm)	Average Weight (gm)	Test Result	Performed By
1	02.05.2024	10:27:33	BCN_13	NA	0.4468	0.4531	0.4500	Complies	vicky
2	02.05.2024	11:01:45	BCN_13	NA	0.4483	0.4528	0.4500	Complies	vicky
3	02.05.2024	11:10:23	BCN_13	NA	0.4473	0.4533	0.4500	Complies	vicky
4	02.05.2024	11:26:29	BCN_13	NA	0.4468	0.4563	0.4500	Complies	vicky
5	02.05.2024	12:01:15	BCN_13	NA	0.4438	0.4533	0.4500	Not Complies	vicky